CONFIDENTIAL

MAR 11 1954

MEMORANDUM FOR: Chief, Plans, Research and Development Staff
SUBJECT: Preparation of OPM, or Re-write of PDM 50-52

1. Will you please have an OPM prepared covering the following type of situation: OCD's recent request for a new T/O provided over and above their normal T/O request) for the purpose of double slotting in order that they might maintain their current strength at the actual figure.

25X9

- 25X9 ting in the acti
 - 2. A-DD/A did not feel that this was necessary and called a meeting of A-DD/A, AD/P, DDI/Admin and OCD. At this meeting it was agreed that instructions would be issued within the Office of Personnel whereby the various elements of DD/I would be permitted to overlook and double slot by the IA method and actually exceed their ceiling for the individual DD/I elements as long as the overall DD/I on-duty ceiling was not exceeded. This agreement covers IAable positions (group jobs) only and does not provide for double incumbency of high technical or supervisory positions unless definite assurance is given that the office concerned has submitted a personnel action transferring one of the individuals out of the slot or has an actual resignation on hand; in which event it was agreed that double slotting would be permitted for a 30-day period on this type of position.
 - 3. The instructions should also cover the point that the Placement Officer servicing the DD/I organizational component concerned would be advised as to the need for exceeding the ceiling and double slotting on unusual or unique cases.
 - 4. Will you please draft this OPM and let me review in draft form.

25X1A

Deputy Assistant Director for Personnel CASSIFIED RESTRICTOR REPORT FOR REPORT OF AND BOTTOM)

CENTRAL INTELLIGENCE AGENCY OFFICIAL ROUTING SLIP

1				
то		INITIALS	DATE	
1	C/PRDS 218 Curie	900	12Man.	
2	Ac/Plan	00		
3	• • •			
4				
5				
FROM		INITIALS	DATE	
1	DAD/P			
2				
3				
APPROVAL INFORMATION SIGNATURE				
\ \ \	ACTION DIRECT REPLY	PLY RETURN		

concurrence RECOMMENDATION FILE

Remarks: Please Setup a project deadle

with have also conducto this

with las a copy.

25X1A

Projet No. ZZ7

Approved For Release 2001/09/04: CIA-RDP80-00679A000200010069-0 CONFIDENTIAL RESTRICTED UNCLASSIFIED